

WS-30/O



FEATURES

- Shelves store 750 ml bottles, half bottles and magnums
- Dual evaporators for constant, moderate humidity so corks don't dry out
- Illuminated touch control panel
- UV-resistant glass door protects against premature wine aging
- Discreet interior lighting
- Home security system connection
- Star-K compliant with installation of a harness kit.
- Smooth roller-glide shelves for access without agitating wine
- Illuminated display shelf for prized bottles
- Two independent temperature zones hold reds and whites at proper serving temperature
- Overlay design accepts cabinetry panels of all kinds

ACCESSORIES

- 90° Door Stop
- Dual Installation Kit
- Grille Frame - 88"
- Grille Frame - 83"
- Lock Kit
- Louvered Grille - 83"
- Louvered Grille - 88"
- Pro Louvered Flush Inset Grille - 84"
- Stainless Steel Dual Flush Inset Door Panel with Pro Handle
- Stainless Steel Dual Flush Inset Door Panel with Tubular Handle
- Stainless Steel Flush Inset Door Panel with Pro Handle
- Stainless Steel Flush Inset Door Panel with Tubular Handle
- Stainless Steel Flush Inset Grille Panel
- Stainless Steel Kickplate - Left Hinge
- Stainless Steel Kickplate - Right Hinge
- Stainless Steel Side Panel
- White Side Panel
- Dual Installation Kit with Dual Wide Grille
- Flush inset panels in stainless steel with tubular or pro handles
- Full-length standard and extended framed handles
- Grilles for 83" or 88" finished height (84" is standard)
- Stainless steel kickplate
- Lock kit
- Stainless steel pro handles



HANDLE ACCESSORIES

PRO



TUBULAR



Stainless steel tubular handles


Accessories are available through an authorized dealer.
For local dealer information, visit subzero-wolf.com/locator.

Specifications are subject to change without notice. This information was generated on November 22, 2019. Verify specifications prior to finalizing your cabinetry/enclosures.

PRODUCT SPECIFICATIONS


Model	WS-30/0
Dimensions	30"W x 84"H x 24"D
Door Clearance	31 3/4"
Weight	445 lbs
Electrical Supply	115 VAC, 60 Hz
Electrical Service	15 amp dedicated circuit
Wine Storage Capacity	147 Bottles

ELECTRICAL




NOTE: Dimensions in parenthesis are in millimeters unless otherwise specified

INTERIOR VIEW




This illustration is intended for interior reference only and may not represent the exterior of the model being specified.

DIMENSIONS



FLUSH INSET INSTALLATION



*3" (76) typical depth. Shaded areas will be visible and should be finished to match cabinetry.
 NOTE: Shaded line represents profile of unit with 3/4" (19) panel.